Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Kuakini Home	CHAPTER 100.1
Address: 347 North Kuakini Street, Honolulu, Hawaii 96817	Inspection Date: November 3 & 4, 2016 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-17 Records and reports. (b)(3) During residence, records shall include: Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs; FINDINGS Resident #1 - No monthly progress notes for October 2016.	Part 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY Progress note for Resident #1 for October 2016 was completed.	11/06/2016

Rules (Criteria)	Plan of Correction	Completion Date
11-100.1-17(b)(3)	Part 2	
	FUTURE PLAN	
	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
·	RN Supervisor or designee will conduct monthly audits to ensure that progress notes are completed monthly for each resident. The monthly audits will be conducted no later than the last day of each month.	11/21/2016 and ongoing

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-17 Records and reports. (b)(3) During residence, records shall include: Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs; FINDINGS Resident #2 - No monthly progress notes for October 2016.	Part 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY Progress note for Resident #2 for October 2016 was completed.	11/16/2016

Rules (Criteria)	Plan of Correction	Completion Date
11-100.1-17(b)(3)	Part 2	
	FUTURE PLAN	
	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
	RN Supervisor or designee will conduct monthly audits to ensure that progress notes are completed monthly for each resident. The monthly audits will be conducted no later than the last day of each month.	11/21/2016 and ongoing

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-17 Records and reports. (b)(3) During residence, records shall include: Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs; FINDINGS	Part 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY Progress note for Resident #3 for October 2016 was completed.	11/06/2016
Resident #3 - No monthly progress notes for October 2016.		

Rules (Criteria)	Plan of Correction	Completion Date
11-100.1-17(b)(3)	Part 2	
	<u>FUTURE PLAN</u>	
	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
	RN Supervisor or designee will conduct monthly audits to ensure that progress notes are completed monthly for each resident. The monthly audits will be conducted no later than the last day of each month.	11/21/2016 and ongoing

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-23 Physical environment. (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers. FINDINGS Room #27 - Bedroom hand sink slow draining.	Part 1 <u>DID YOU CORRECT THE DEFICIENCY?</u> USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
	The bedroom hand sink in Room #27 was unclogged.	11/03/2016
		4

	Rules (Criteria)	Plan of Correction	Completion Date
X	11-100.1-23(h)	Part 2	
		FUTURE PLAN	
		USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
		Staff will notify RN Supervisor or designee of any facility repairs needed when conducting daily rounds of residents' rooms.	11/03/2016 and ongoing
		Nursing and Facilities management will include inspection of hand sinks in each resident's rooms during the monthly environmental rounds. Requests for repairs will be submitted to Facilities Management Department.	11/03/2016 and ongoing
	·		

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-23 Physical environment. (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers. FINDINGS Room #28-Window blinds couldn't close.	Part 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
	The window blinds in Room #28 was repaired.	11/30/2016
·		
·		

	Rules (Criteria)	Plan of Correction	Completion Date
\boxtimes	11-100.1-23(h)	Part 2	
	,	FUTURE PLAN	
		USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
		Staff will notify RN Supervisor or designee of any facility repairs needed when conducting daily rounds of residents' rooms.	11/03/2016 and ongoing
		Nursing and Facilities management will include inspection of window blinds in each resident's rooms during the monthly environmental rounds. Requests for repairs will be submitted to Facilities Management Department.	11/03/2016 and ongoing ·
ŕ	·		
- Children			

Rules (Criteria)	Plan of Correction	Completion Date
§11-100.1-23 Physical environment. (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers. FINDINGS Room #28-Cable wire from the wall was hanging loose on to the floor, a trip hazard.	Part 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
	The cable wire from the wall in Room #28 was secured.	11/03/2016

	Rules (Criteria)	Plan of Correction	Completion Date	
\boxtimes	11-100.1-23(h)	Part 2		
		<u>FUTURE PLAN</u>		
		USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?		
		Staff will notify RN Supervisor or designee of any facility repairs needed when conducting daily rounds of residents' rooms.	11/03/2016 and ongoing	
	·	Nursing and Facilities management will include inspection of any loose cable wire in each resident's rooms during the monthly environmental rounds. Requests for repairs will be submitted to Facilities Management Department.	11/03/2016 and ongoing	

	B	6	f	
Licensee's/Administrator's Signature	Thy	10,	Loguana	
Print Name:	Gary	K	Kay wara	
Date:	11/	30/-	2016	